MODEL 260 & MODEL 905 DUSK TO DAWN LIGHTING SYSTEM



BUILT COMPACT, FOR BIG IMPACT



The Model 260 Rear Combination Light and Model 905 Work Light pack plenty of lighting power into a low-profile, lightweight assembly with a wide range of functionality — making the ultimate lighting system from dusk to dawn.





ADD BRIGHTNESS, CONVENIENCE & STYLE TO ANY VEHICLE

Looking to brighten your workload? Seeking a bigger, safer adventure? Choose the compact, lightweight Model 905 work light or Model 260 rear combination light (RCL) for crisp, clear, expansive illumination in any setting. Sleek, stylish and convenient, this family of LED powerhouse lights boast better functionality than halogen lights at about half the weight.

Use the Model 260 to clearly let others know where you're going with every brake, turn, backup, and more. Use the Model 905 for broad, brilliant illumination — or use both solutions together for the confidence to conquer any journey or worksite. Featuring lightweight assembly, multiple mounting options, and stunning lens options, these compact work lights are perfect for every task and application.





Model 905 LED Work Light (Flood Beam)



Model 260 ECE (Stop, Tail, Turn, Fog, Reverse)

Customizable For Any Application

These versatile LEDs offer OEMs cost-competitive, eye-catching options for their next design. Lighter, smaller and more powerful, they can be customized easily to fit into more types of applications and designs. Available in 12-24V, these LED lights are ideal for energy-conscious vehicles and applications.

Make Them Your Own

Sometimes, a brand name can say it all. All versions of both the Model 905 Work Light and Model 260 Rear Combination Light can be customized to include your logo so your brand is visible from every angle.





Model 260

REAR COMBINATION LIGHT

DOT/SAE: 11" X 2" X 1/2"

ECE: 11" X 2" X 3/4"

The highly versatile, Model 260 Rear Combination Light (RCL) offers impressive functionality on vehicles whether you're at work or play. This rear LED comes in two versions with a wide range of features that enhance convenience and safety, including a Red Lens and Clear Lens option.

Red Lens (DOT/SAE)

- Stop
- Tail
- Turn

Clear Lens (ECE)

- Stop
- Reverse
- Directional
- Fog
- Tail



Model 260 DOT/SAE RCL Red Lens



Model 260 ECE RCL Clear Lens

Model 905

WORK LIGHT

11" X 2" X 1/2"

Choose the Model 905 Work Light as a comprehensive dusk-to-dawn lighting system. Place the Model 905 on a wide range of work vehicles or stations with ease, with available panel and pedestal mount options. Designed and engineered to get attention while you get your work done safely via multiple expansive lighting options.

LED Backup + Work Light

Alert others that your vehicle is backing up with LEDs the brighten up any area with a wide, expansive 1,400 lumen flood beam pattern.

LED Diffused Work Light

Use a powerful, flood beam pattern with an aesthetically pleasing work light that combines style and function.



Model 905 LED Backup + Work Light



Model 905 LED Diffused Light


LIGHTING AND MOUNTING OPTIONS

MODEL 260

Part No.	Description
0347951	12-24V DOT/SAE LED Stop, Tail, Turn w/ Red Lens
0347961	12-24V ECE LED Stop, Tail, Turn, Rear Fog & Backup Light & Clear Lens

MODEL 260 ACCESSORIES

Part No.	Description
8200921	Pedestal Mount for SAE Kit
8200931	Panel Mount for SAE Kit
8201051	Pedestal Mount for ECE Kit
8201061	Panel Mount for ECE Kit




MODEL 905

Part No.	Description
1000161	12-24V LED Work Light with Flood Beam Pattern
1000171	12-24V LED Work Light with Flood Beam Pattern & Diffused Lens
0443601	12-24V LED Backup & Work Light with Flood Beam Pattern

MODEL 905 ACCESSORIES

Part No.	Description
8200921	Pedestal Mount Kit
8200931	Panel Mount Kit



▲ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov ▲ AVERTISSMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov

J.W. SPEAKER® Engineered. Lighting. Solutions.

J.W. Speaker Global Headquarters

N120 W19434 Freistadt Road PO Box 1011, Germantown, Wisconsin 53022 USA

E-Mail: speaker@jwspeaker.com

