

# LED Stop, Tail, Turn & Backup Light - Model 265

## PRODUCT INFORMATION

<b>Description</b>	12-24V ECE/SAE LED Stop, Tail, Turn Signal & Backup Light
<b>Height</b>	136.65 mm / 5.38 in
<b>Width</b>	287.53 mm / 11.32 in
<b>Depth</b>	33.78 mm / 1.33 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Acrylic
<b>Outer Lens Color</b>	Amber, Clear, Red
<b>Housing Material</b>	ABS
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x2) M6-1 x 25mm Mounting Bolts
<b>Mounting Type</b>	Low Profile Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	6-Pin Deutsch Socket (DT04-6P-E004); Others available
<b>Mating Connector</b>	6-Pin Deutsch Plug (DT06-6S); Others Available
<b>Product Weight</b>	1.34 lbs / 0.61 kgs
<b>Shipping Weight</b>	1.34 lbs / 0.61 kgs




Print date: 2018-06-21

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Stop, Tail, Turn & Backup Light - Model 265

## PRODUCT DIMENSIONS



## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-24V DC
<b>White Wire</b>	Reverse
<b>Yellow Wire</b>	Turn
<b>Red Wire</b>	Stop
<b>Brown Wire</b>	Tail
<b>Black Wire</b>	Ground
<b>Current Draw</b>	0.115A @ 12V DC (Stop)
	0.075A @ 24V DC (Stop)
	0.010A @ 12V DC (Tail)
	0.010A @ 24V DC (Tail)
	0.115A @ 12V DC (Turn)
	0.080A @ 24V DC (Turn)
	0.045A @ 12V DC (Reverse)
	0.028A @ 24V DC (Reverse)

Print date: 2018-06-21

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Stop, Tail, Turn & Backup Light - Model 265

## REGULATORY STANDARDS COMPLIANCE




ASABE S279	Buy America Standards
ECE Reg 23	ECE Reg 3
ECE Reg 6	ECE Reg 7
Eco Friendly	FMVSS 108 Table IX
FMVSS 108 Table VII	FMVSS 108 Table VIII
FMVSS 108 Table XII	FMVSS 108 Table XVI
IEC IP67	SAE J2040
SAE J2261	SAE J575
SAE J585	SAE J586
SAE J588	SAE J593
SAE J594	

## PHOTOMETRIC SPECIFICATIONS

<b>Beam Pattern(s)</b>	Signalization - Stop
	Signalization - Tail
	Signalization - Turn (Front)
	Signalization - Turn (Rear)

## APPLICATIONS



Print date: 2018-06-21

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

**J.W. SPEAKER®**  
 Engineered. Lighting. Solutions.