


# LED Stop, Tail & Turn Light - Model 283

## PRODUCT INFORMATION

<b>Description</b>	12-24V ECE LED Stop, Tail & Turn Signal Light
<b>Height</b>	215.90 mm / 8.5 in
<b>Width</b>	49.53 mm / 1.95 in
<b>Depth</b>	27.94 mm / 1.1 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear, Red
<b>Housing Material</b>	ABS
<b>Housing Color</b>	Black
<b>Mounting Type</b>	Low Profile Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	120" Bare Leads
<b>Product Weight</b>	0.42 lbs / 0.19 kgs



## PRODUCT DIMENSIONS



Print date: 2018-06-25

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

**J.W. SPEAKER**   
 Engineered. Lighting. Solutions.

# LED Stop, Tail & Turn Light - Model 283

## ELECTRICAL SPECIFICATIONS

---

<b>Input Voltage</b>	12-24V DC
<b>Red Wire</b>	Stop
<b>White Wire</b>	Tail
<b>Green Wire</b>	Turn
<b>Black Wire</b>	Ground
<b>Current Draw</b>	0.151A @ 12V DC (Stop) 0.008A @ 12V DC (Tail) 0.161A @ 12V DC (Turn) 0.078A @ 24V DC (Stop) 0.008A @ 24V DC (Tail) 0.084A @ 24V DC (Turn)

## REGULATORY STANDARDS COMPLIANCE

---



Buy America Standards  
ECE Reg 7  
IEC IP67

ECE Reg 6  
Eco Friendly

## PHOTOMETRIC SPECIFICATIONS

---

<b>Beam Pattern(s)</b>	Signalization - Stop Signalization - Tail Signalization - Turn (Front) Signalization - Turn (Rear)
------------------------	---

Print date: 2018-06-25

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Stop, Tail & Turn Light - Model 283

## APPLICATIONS

---

