

# LED Signal Lights – Military Black Out Lights

## PRODUCT INFORMATION

<b>Description</b>	24V 60mm Amber Front Blackout Marker Light - Bulk Qty (18 MIN)
<b>Height</b>	39.88 mm / 1.57 in
<b>Width</b>	59.94 mm / 2.36 in
<b>Depth</b>	45.72 mm / 1.8 in
<b>Shape</b>	Round
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Nylon
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x2) #6-Screw
<b>Mounting Type</b>	Flange Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	85 °C / 185 °F
<b>Connector or Wiring</b>	Deutsch DT04-2P
<b>Mating Connector</b>	Deutsch DT06-2S
<b>Product Weight</b>	0.09 lbs / 0.04 kgs
<b>Additional Information</b>	Light color is Amber. Meets MIL-PRF-32214 Section 3.8.5




Print date: 2018-08-17

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Signal Lights – Military Black Out Lights

## PRODUCT DIMENSIONS



## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	24V DC
<b>Operating Voltage</b>	18-32V DC
<b>Black Wire</b>	Ground
<b>Red Wire</b>	Positive
<b>Current Draw</b>	0.025A @ 24V DC

## REGULATORY STANDARDS COMPLIANCE



Buy America Standards  
IEC IP67

Eco Friendly

Print date: 2018-08-17

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Signal Lights – Military Black Out Lights

## PHOTOMETRIC SPECIFICATIONS

---

**Beam Pattern(s)**      Signalization - Marker

## APPLICATIONS

---



## RELATED PRODUCTS

---



**Part Number**  
**0347512**  
24V 60mm Red Rear  
Blackout Tail Light -  
Bulk Qty (18 MIN)



**Part Number**  
**0347522**  
24V 60mm Amber  
Rear Blackout Stop  
Light - Bulk Qty (18  
MIN)



**Part Number**  
**0550312**  
24V 60mm Cyan LH  
Blackout Driving Light -  
Bulk Qty (18 MIN)



**Part Number**  
**0550732**  
24V 60mm Cyan RH  
Blackout Driving Light -  
Bulk Qty (18 MIN)

---

**Print date: 2018-08-17**

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660