




# Adaptive LED Headlights - Model 8693

## PRODUCT INFORMATION

<b>Description</b>	12V DOT LED Adaptive Headlight and Honda Grom Gen 2 (2016 -2021) Fitment Kit
<b>Height</b>	274.30 mm / 10.8 in
<b>Width</b>	217.00 mm / 8.54 in
<b>Depth</b>	231.60 mm / 9.12 in
<b>Shape</b>	Stylized
<b>Outer Lens Material</b>	Hardcoated Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Die-Cast Aluminum
<b>Housing Color</b>	Black
<b>Bezel Color</b>	Black
<b>Mounting Hardware Description</b>	(x1) Custom Mounting Kit for Honda Grom
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	Integral Connector
<b>Mating Connector</b>	Deutsch DT06-6S



## PRODUCT DIMENSIONS



Print date: 2026-05-12

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**   
 Engineered. Lighting. Solutions.

# Adaptive LED Headlights - Model 8693

## ELECTRICAL SPECIFICATIONS

---

<b>Input Voltage</b>	13.5V DC
<b>Operating Voltage</b>	9-16V DC
<b>Yellow Wire</b>	Low Beam
<b>White Wire</b>	High Beam
<b>Red Wire</b>	Front Position
<b>Black Wire</b>	Ground
<b>Current Draw</b>	2.5A @ 13.5V DC (Low Beam) 2.6A @ 13.5V DC (High Beam) 0.4A @ 13.5V DC (Front Position) 3.6A @ 13.5V DC (Low Beam at Full Lean) 4.5A @ 13.5V DC (High Beam at Full Lean)

## REGULATORY STANDARDS COMPLIANCE

---



Buy America Standards  
FMVSS 108 s10.1 (Table XX)

Eco Friendly

---

**Print date: 2026-05-12**


© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**   
Engineered. Lighting. Solutions.

# Adaptive LED Headlights - Model 8693

## PHOTOMETRIC SPECIFICATIONS

<b>Raw Lumen Output</b>	3,360 (High Beam); 2,240 (Low Beam)
<b>Effective Lumen Output</b>	1,260 (High Beam); 870 (Low Beam)
<b>Candela Output</b>	51,000 (High Beam); 10,000 (Low Beam)
<b>Nominal LED Color Temperature</b>	5000 K
<b>Beam Pattern(s)</b>	Forward Lighting - High Beam (DOT) Forward Lighting - Low Beam (DOT) Signalization - Front Position



## APPLICATIONS



## INSTALLATION & APPLICATION INFORMATION

The Adaptive (0561843) and Non-Adaptive (0561853) Honda Grom Fitment Kits are designed for 2016-2021 Honda Groms.

Print date: 2026-05-12

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# Adaptive LED Headlights - Model 8693

## ADDITIONAL INFORMATION

---

### Included in Box:

- 1x Adaptive Model 8693 Headlight
- 1x Model 8693 Honda Grom Wire Assembly
- 1x Right Hand Bracket
- 1x Left Hand Bracket
- 2x Twist-On Insulation-Piercing Wire Taps
- 5x 12mm Screws
- 9x Flat Washers

## PRODUCT WARNINGS

---


For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## RELATED PRODUCTS

---



### Part Number

**0561251**

12V DOT/ECE LED  
High & Low Beam  
Adaptive Headlight  
with Black Inner Bezel



### Part Number

**0561903**

12V DOT LED Adaptive  
Headlight and Ducati  
Monster 796  
(2011-2014) & 696  
(2009-2014) Fitment  
Kit



### Part Number

**0561923**

12V DOT LED Adaptive  
Headlight and Yamaha  
FZ-07 (2014-2017)  
Fitment Kit

---

**Print date: 2026-05-12**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

**J.W. SPEAKER**   
*Engineered. Lighting. Solutions.*