


# LED Signal Lights - Model 206

## PRODUCT INFORMATION

<b>Description</b>	12-24V ECE/SAE Single-Sided LED Stop & Tail Light without Guard
<b>Height</b>	124.71 mm / 4.91 in
<b>Width</b>	124.71 mm / 4.91 in
<b>Depth</b>	23.11 mm / 0.91 in
<b>Shape</b>	Round
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Red
<b>Housing Material</b>	Polycarbonate
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x1) 1/2"-13 x 1.25" Hollow Mounting Stud
<b>Mounting Type</b>	Hollow Stud Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	12" Bare Leads
<b>Shipping Weight</b>	1.80 lbs / 0.82 kgs



## PRODUCT DIMENSIONS



Print date: 2018-08-14

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Signal Lights - Model 206

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-24V DC
<b>Black Wire</b>	Ground
<b>Red Wire</b>	Stop
<b>White Wire</b>	Tail
<b>Current Draw</b>	0.100 A @ 12V DC (Stop) 0.05A @ 24V DC (Stop) 0.010A @ 12V DC (Tail) 0.006A @ 24V DC (Tail)

## REGULATORY STANDARDS COMPLIANCE



ASABE S279	Buy America Standards
ECE Reg 7	Eco Friendly
FMVSS 108 Table IX	FMVSS 108 Table VIII
IEC IP67	SAE J2040
SAE J585	SAE J586

## PHOTOMETRIC SPECIFICATIONS

<b>Beam Pattern(s)</b>	Signalization - Stop Signalization - Tail
------------------------	--

## APPLICATIONS



Print date: 2018-08-14

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Signal Lights - Model 206

## RELATED PRODUCTS

---



**Part Number**  
**0341681**  
12-24V SAE Double-Sided LED Turn Signal without Guard



**Part Number**  
**0341931**  
12-24V SAE Double-Sided LED Turn Signal with Guard



**Part Number**  
**0342781**  
12-24V ECE/SAE Single-Sided LED Stop & Tail Light with Guard