



LED Square Signal Lights and Tail Lights - Model 224

PRODUCT INFORMATION

Description	12-24V ECE/SAE LED Turn Signal Light with Harness
Height	127.00 mm / 5 in
Width	127.00 mm / 5 in
Depth	44.96 mm / 1.77 in
Shape	Square
Outer Lens Material	Acrylic
Outer Lens Color	Amber
Housing Material	ABS
Housing Color	Black
Mounting Hardware Description	(x2) M6-1 x 25 Mounting Bolts
Mounting Type	Low Profile Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Mating Connector	4-Pin Deutsch Plug (DT06-4S)
Product Weight	0.46 lbs / 0.21 kgs
Shipping Weight	1.80 lbs / 0.82 kgs



PRODUCT DIMENSIONS



Print date: 2026-03-30

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Square Signal Lights and Tail Lights - Model 224

ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Black Wire	Ground
Yellow Wire	Turn
Current Draw	2.20A @ 12V DC 1.14A @ 24V DC

REGULATORY STANDARDS COMPLIANCE



ASABE S279	Buy America Standards
ECE Reg 6	Eco Friendly
FMVSS 108 s7.1 (Table VII)	IEC IP67
SAE J2261	SAE J588
SAE J974	

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s)	Signalization - Turn (Front) Signalization - Turn (Rear)
------------------------	---

APPLICATIONS



Print date: 2026-03-30

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Square Signal Lights and Tail Lights - Model 224

PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS



Part Number
0342301
12-24V SAE LED Stop
& Tail Light with
Harness



Part Number
0342361
12-24V ECE LED Rear
Fog Light with Harness



Part Number
0442611
12-24V ECE/SAE LED
Backup Light with
Harness