

LED Signal Lights - Model 272

PRODUCT INFORMATION

Description	12V ECE/SAE LED Stop & Tail Light
Height	57.91 mm / 2.28 in
Width	165.10 mm / 6.5 in
Depth	40.13 mm / 1.58 in
Shape	Rectangular
Outer Lens Material	Polycarbonate
Outer Lens Color	Red
Housing Material	Impact-Resistant Nylon
Housing Color	Black
Mounting Hardware Description	#10 or M5-Mounting Screw
Mounting Type	Low Profile Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Integrated Delphi Socket
Mating Connector	Delphi (#12059595), Packard (#1211029)
Product Weight	0.32 lbs / 0.15 kgs
Shipping Weight	0.75 lbs / 0.34 kgs




Print date: 2018-11-14

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

LED Signal Lights - Model 272

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Black Wire	Ground
Red Wire	Stop
White Wire	Tail
Current Draw	0.210A @ 12V DC (Stop) 0.015A @ 12V DC (Tail)

Print date: 2018-11-14

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Signal Lights - Model 272

REGULATORY STANDARDS COMPLIANCE



- | | |
|----------------------|-----------------------|
| ASABE S279 | Buy America Standards |
| ECE Reg 7 | Eco Friendly |
| FMVSS 108 Table IX | FMVSS 108 Table VII |
| FMVSS 108 Table VIII | IEC IP67 |
| SAE J1889 | SAE J2040 |
| SAE J2261 | SAE J575 |
| SAE J585 | SAE J586 |

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s) Signalization - Stop
 Signalization - Tail

APPLICATIONS



Print date: 2018-11-14

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



LED Signal Lights - Model 272

RELATED PRODUCTS



Part Number

0341801

12V ECE/SAE LED Turn
Signal Light

Part Number

0343181

24V ECE/SAE LED Turn
Signal Light