

LED Signal Lights - Model 272

PRODUCT INFORMATION

Description	12V ECE/SAE LED Stop & Tail Light
Height	57.91 mm / 2.28 in
Width	165.10 mm / 6.5 in
Depth	40.13 mm / 1.58 in
Shape	Rectangular
Outer Lens Material	Polycarbonate
Outer Lens Color	Red
Housing Material	Impact-Resistant Nylon
Housing Color	Black
Mounting Hardware Description	#10 or M5-Mounting Screw
Mounting Type	Low Profile Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Integrated Delphi Socket
Mating Connector	Delphi (#12059595), Packard (#1211029)
Product Weight	0.32 lbs / 0.15 kgs
Shipping Weight	0.75 lbs / 0.34 kgs




Print date: 2019-02-16

© 2019 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

LED Signal Lights - Model 272

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Black Wire	Ground
Red Wire	Stop
White Wire	Tail
Current Draw	0.210A @ 12V DC (Stop) 0.015A @ 12V DC (Tail)

Print date: 2019-02-16

© 2019 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Signal Lights - Model 272

REGULATORY STANDARDS COMPLIANCE




ASABE S279	Buy America Standards
ECE Reg 7	Eco Friendly
FMVSS 108 Table IX	FMVSS 108 Table VII
FMVSS 108 Table VIII	IEC IP67
SAE J1889	SAE J2040
SAE J2261	SAE J575
SAE J585	SAE J586

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s)	Signalization - Stop Signalization - Tail
------------------------	--

APPLICATIONS



Print date: 2019-02-16

© 2019 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Signal Lights - Model 272

RELATED PRODUCTS



Part Number
0341801
12V ECE/SAE LED Turn
Signal Light



Part Number
0343181
24V ECE/SAE LED Turn
Signal Light