


# LED Stop, Tail, Turn & Backup Truck Lights -

## Model 265

### PRODUCT INFORMATION

<b>Description</b>	12-24V ECE/SAE LED Stop, Tail, Turn Signal & Backup Light
<b>Height</b>	136.65 mm / 5.38 in
<b>Width</b>	287.53 mm / 11.32 in
<b>Depth</b>	33.78 mm / 1.33 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Acrylic
<b>Outer Lens Color</b>	Amber, Clear, Red
<b>Housing Material</b>	ABS
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x2) M6-1 x 25mm Mounting Bolts
<b>Mounting Type</b>	Low Profile Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	6-Pin Deutsch Socket (DT04-6P-E004); Others available
<b>Mating Connector</b>	6-Pin Deutsch Plug (DT06-6S); Others Available
<b>Product Weight</b>	1.34 lbs / 0.61 kgs
<b>Shipping Weight</b>	1.34 lbs / 0.61 kgs



Print date: 2023-10-01


© 2023 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**   
 Engineered. Lighting. Solutions.

## LED Stop, Tail, Turn &amp; Backup Truck Lights -

## Model 265

## PRODUCT DIMENSIONS



## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-24V DC
<b>White Wire</b>	Reverse
<b>Yellow Wire</b>	Turn
<b>Red Wire</b>	Stop
<b>Brown Wire</b>	Tail
<b>Black Wire</b>	Ground
<b>Current Draw</b>	0.115A @ 12V DC (Stop)
	0.075A @ 24V DC (Stop)
	0.010A @ 12V DC (Tail)
	0.010A @ 24V DC (Tail)
	0.115A @ 12V DC (Turn)
	0.080A @ 24V DC (Turn)
	0.045A @ 12V DC (Reverse)
	0.028A @ 24V DC (Reverse)

Print date: 2023-10-01

© 2023 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Stop, Tail, Turn & Backup Truck Lights - Model 265

## REGULATORY STANDARDS COMPLIANCE



ASABE S279	Buy America Standards
ECE Reg 23	ECE Reg 3
ECE Reg 6	ECE Reg 7
Eco Friendly	FMVSS 108 s7.1 (Table VII)
FMVSS 108 s7.2 (Table VIII)	FMVSS 108 s7.3 (Table IX)
FMVSS 108 s7.6 (Table XII)	FMVSS 108 s8.1 (Table XVI)
IEC IP67	SAE J2040
SAE J2261	SAE J575
SAE J585	SAE J586
SAE J588	SAE J593
SAE J594	

## PHOTOMETRIC SPECIFICATIONS

<b>Beam Pattern(s)</b>	Signalization - Stop
	Signalization - Tail
	Signalization - Turn (Front)
	Signalization - Turn (Rear)

## APPLICATIONS



Print date: 2023-10-01

© 2023 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER®**  
Engineered. Lighting. Solutions.

# LED Stop, Tail, Turn & Backup Truck Lights -

## Model 265

### PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

---

**Print date: 2023-10-01**

© 2023 J.W. Speaker Corporation • Germantown, WI U.S.A.

[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

**J.W. SPEAKER®**   
*Engineered. Lighting. Solutions.*