


# LED Work Light & Tail Light - Model 6043

## PRODUCT INFORMATION

<b>Description</b>	12-24V LED Work Light & Tail Light
<b>Height</b>	113.03 mm / 4.45 in
<b>Width</b>	113.03 mm / 4.45 in
<b>Depth</b>	43.18 mm / 1.7 in
<b>Shape</b>	Round
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Die-Cast Aluminum
<b>Housing Color</b>	Black
<b>Retrofits</b>	PAR36 Worklights
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	6" Bare Leads
<b>Product Weight</b>	0.69 lbs / 0.31 kgs
<b>Shipping Weight</b>	1.60 lbs / 0.73 kgs



## PRODUCT DIMENSIONS



Print date: 2019-01-21

© 2019 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660


**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Work Light & Tail Light - Model 6043

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-24V DC
<b>Transient Spike Protection</b>	150V Peak @ 1 HZ-100 Pulses
<b>Red Wire</b>	Red Tail
<b>White Wire</b>	White Worklamp
<b>Black Wire</b>	Ground
<b>Current Draw</b>	0.60A @ 12V DC (Worklight) 0.11A @ 12V DC (Tail Light)

## REGULATORY STANDARDS COMPLIANCE




Buy America Standards  
FMVSS 108 Table VIII  
SAE J585

Eco Friendly  
IEC IP67

## PHOTOMETRIC SPECIFICATIONS

<b>Raw Lumen Output</b>	1,140 (Worklight)
<b>Effective Lumen Output</b>	700 (Worklight)
<b>Nominal LED Color Temperature</b>	5000 K
<b>Beam Pattern(s)</b>	Forward Lighting - Flood (Standard) Signalization - Tail



Print date: 2019-01-21

© 2019 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Work Light & Tail Light - Model 6043

## APPLICATIONS

---

