

# LED Work Light - Model 7151

## PRODUCT INFORMATION

|                                      |   |
|--------------------------------------|---|
| <b>Description</b>                   | 12-24V LED Work Light with Trapezoid Beam Pattern   |
| <b>Height</b>                        | 113.03 mm / 4.45 in   |
| <b>Width</b>                         | 165.61 mm / 6.52 in   |
| <b>Depth</b>                         | 108.71 mm / 4.28 in   |
| <b>Shape</b>                         | Oval  |
| <b>Outer Lens Material</b>           | Glass   |
| <b>Outer Lens Color</b>              | Clear   |
| <b>Housing Material</b>              | Die-Cast Magnesium  |
| <b>Housing Color</b>                 | Black   |
| <b>Mounting Hardware Description</b> | (x1) 1/2"-Mounting Bolt   |
| <b>Mounting Type</b>                 | 4-Point Panel Mount   |
| <b>Minimum Operating Temperature</b> | -40 °C / -40 °F   |
| <b>Maximum Operating Temperature</b> | 65 °C / 149 °F  |
| <b>Connector or Wiring</b>           | Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P), 2-Pin Deutsch Weather-Proof Plug (DT06-2S) |
| <b>Product Weight</b>                | 2.80 lbs / 1.27 kgs   |
| <b>Shipping Weight</b>               | 3.19 lbs / 1.45 kgs   |




Print date: 2018-07-22

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**®  
 Engineered. Lighting. Solutions.

# LED Work Light - Model 7151

## PRODUCT DIMENSIONS



## ELECTRICAL SPECIFICATIONS

|                                   |                              |
|-----------------------------------|------------------------------|
| <b>Input Voltage</b>              | 12-24V DC                    |
| <b>Transient Spike Protection</b> | 150V peak @ 1 HZ-100 Pulses  |
| <b>Red Wire</b>                   | Positive                     |
| <b>Black Wire</b>                 | Negative                     |
| <b>Current Draw</b>               | 6.5A @ 12V DC<br>3A @ 24V DC |

## REGULATORY STANDARDS COMPLIANCE



Buy America Standards  
IEC IP67

Eco Friendly  
SAE J1455

Print date: 2018-07-22


© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Work Light - Model 7151

## PHOTOMETRIC SPECIFICATIONS

|                                      |                              |
|--------------------------------------|------------------------------|
| <b>Raw Lumen Output</b>              | 4,500                        |
| <b>Effective Lumen Output</b>        | 3,000                        |
| <b>Nominal LED Color Temperature</b> | 5000 K                       |
| <b>Beam Pattern(s)</b>               | Forward Lighting - Trapezoid |



## APPLICATIONS



## RELATED PRODUCTS



**Part Number**  
**1801411**  
 12-24V LED Work Light  
 with Flood Beam  
 Pattern

Print date: 2018-07-22

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

