

LED Signal Lights – Military Black Out Lights

PRODUCT INFORMATION

| | |
|--------------------------------------|---|
| Description | 24V Rear Blackout Tail Light - Bulk Qty (18 MIN) |
| Height | 39.88 mm / 1.57 in |
| Width | 59.94 mm / 2.36 in |
| Depth | 45.72 mm / 1.8 in |
| Shape | Round |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Nylon |
| Housing Color | Black |
| Mounting Hardware Description | (x2) #6-Screw |
| Mounting Type | Flange Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 85 °C / 185 °F |
| Connector or Wiring | Deutsch DT04-4P |
| Mating Connector | Deutsch DT06-4S |
| Product Weight | 0.09 lbs / 0.04 kgs |
| Additional Information | Light color is Red. Meets MIL-PRF-32212A Section 3.8.5. |




Print date: 2018-02-22

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

LED Signal Lights – Military Black Out Lights

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| | |
|--------------------------|-----------------|
| Input Voltage | 24V DC |
| Operating Voltage | 18-32V DC |
| Black Wire | Ground |
| Red Wire | Positive |
| Current Draw | 0.025A @ 24V DC |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
IEC IP67

Eco Friendly

Print date: 2018-02-22

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Signal Lights – Military Black Out Lights

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s) Signalization - Tail

RELATED PRODUCTS



Part Number
0347502
24V Front Blackout
Marker Light - Bulk Qty
(18 MIN)



Part Number
0347522
24V Rear Blackout
Stop Light - Bulk Qty
(18 MIN)



Part Number
0550312
24V LH Blackout
Driving Light - Bulk Qty
(18 MIN)



Part Number
0550732
24V RH Blackout
Driving Light - Bulk Qty
(18 MIN)